R_{16}

What is claimed is:

1. A compound of formula:

 R_1 R_2 R_3 R_6

wherein:

 $R_1,\ R_2,\ R_7,\ \text{and}\ R_8$ are independently selected from hydrogen and $C_1\text{-}C_{10}$ alkyl;

 R_3 , R_6 , and R_{16} are independently selected from hydrogen and $C_1\text{-}C_6$ alkyl;

 R_{4} and R_{9} are selected from hydrogen and acid labile 10 protecting groups;

 R_{40} is selected from OR_{25} and $OC(=O)NH_2$;

 $$R_{25}$$ is selected from hydrogen and an oxidatively labile protecting group; and

J is selected from:

15

şıdı

5

$$R_{33}O$$
 R_{32}
 R_{32}

Com

$$R_{32}$$
 R_{32}
 R_{32}
 R_{32}
 R_{32}
 R_{32}
 R_{32}
 R_{33}
 R_{32}
 R_{33}
 R_{33}
 R_{33}
 R_{33}
 R_{32}
 R_{33}
 R_{32}
 R_{33}
 R_{32}
 R_{33}
 R_{32}
 R_{32}
 R_{33}
 R_{32}
 R_{32}
 R_{33}
 R_{32}
 R_{32}
 R_{33}
 R_{32}
 R_{33}
 R_{32}
 R_{32}
 R_{33}
 R_{32}

alkaryl and alkheteroaryl wherein aryl and heteroaryl are optionally substituted and alk is optionally substituted with R_{32} or OR_{33} ;

wherein:

 $$R_{32}$$ is selected from hydrogen and $C_1\text{-}C_6$ alkyl; and $$R_{33}$$ is selected from hydrogen and an acid labile hydroxy protecting group.

- 10 2. The compound of claim 1 wherein R_6 is H.
 - 3. The compound of claim 1 wherein $R_{1},\ R_{2},\ R_{7},$ and R_{8} are methyl.
 - $\mbox{4.} \qquad \mbox{The compound of claim 1 wherein R_4, R_9, and } \\ \mbox{R_{33} are hydrogen.}$


) correspondents

- 5. The compound of claim 1 wherein R_1 , R_2 , R_7 , and R_8 are methyl; R_4 , R_6 , and R_9 are hydrogen; and R_{40} is $-OC\left(O\right)NH_2$.
 - 6. The compound of claim 5 wherein J is

Sub 5 A.13


wherein R_{32} is methyl and R_{33} is hydrogen.

7. The compound of claim 1 wherein R_1 , R_2 , R_6 , R_7 , and R_8 are methyl; R_4 and R_9 are H; R_{40} is -OC(O)NH $_2$; and J is




10 wherein R_{32} is methyl and R_{33} is H.

The compound of claim 1 wherein J is:



wherein the phenyl group is optionally substituted with $C_1\text{-}C_4$ alkyl, haloalkyl, hydroxy, alkoxy, or haloalkoxy.

The compound of claim S wherein R_1 , R_2 , R_3 , R_6 , R_7 and R_8 are methyl, R_4 , R_9 , and R_{16} are hydrogen, R_{40} is $-OC(=O)\,NH_2$, and J is:



wherein:

 R_1 , R_2 , R_7 , and R_8 are independently hydrogen or C_1 - C_{10} alkyl;

 R_3 , R_6 , and R_{16} are independently hydrogen or C_1 - C_6 alkyl; R_4 , and R_9 are independently hydrogen or acid labile protecting groups;

 R_{40} is selected from OR_{25} and $OC(=0)NH_2$;

 R_{25} is hydrogen or an oxidatively labile protecting 15 group; and

J is selected from:

i i i

Ţ

$$R_{33}O$$
 R_{32}
 $R_{33}O$
 $R_{33}O$
 R_{32}
 $R_{33}O$
 R_{32}
 $R_{33}O$
 R_{32}
 $R_{33}O$
 R_{32}
 $R_{33}O$
 $R_{33}O$
 R_{32}
 $R_{33}O$
 $R_{33}O$

alkaryl and alkheteroaryl wherein aryl and heteroaryl are optionally substituted and alk is optionally substituted with R_{32} or OR_{33} ;

wherein

 R_{32} is hydrogen or C_1 - C_6 alkyl and

 R_{33} is hydrogen or an acid labele hydroxy protecting 10 group.

The compound of claim 10 wherein R_6 is H.

The compound of claim 10 wherein R_1 , R_2 , R_7 , and R_8 are methyl.

12. The compound of claim 10 wherein R_4 , $R_{9,}$ and R_{33} 15 are hydrogen.

3 1. The compound of claim 10 wherein R_1 , R_2 , R_7 ,

and R_8 are methyl; R_4 , R_6 , R_{9} , and R_{33} are H; and R_{40} is $-OC\left(O\right)NH_2$.

15. A compound having the formula:

$$R_{2}$$
 R_{3}
 R_{6}
 R_{40}
 R_{7}
 R_{8}
 R_{16}

5 wherein

 R_2 , R_7 , and R_8 are independently hydrogen or C_1 - C_{10} alkyl;

 R_3 , R_6 , and R_{16} are independently hydrogen or C_1 - C_6 alkyl;

 R_4 , R_9 , and R_{33} are independently hydrogen or acid labile protecting groups;

10 R_4 and R_9 are independently hydrogen or acid labile protecting hydroxl groups;

 R_{40} is selected from OR_{25} and $OC(=O)NH_2$;

 R_{25} is hydrogen or an oxidatively labile protecting group; and

15 J is selected from:

$$R_{33}O$$
 R_{32}
 $R_{33}O$
 R_{32}
 R_{32}

 SUD AIS Com

ard.

$$R_{32}$$
 R_{33}
 R_{33}
 R_{32}
 R_{33}
 R_{32}

alkaryl and alkheteroaryl wherein aryl and heteroaryl are optionally substituted and alk is optionally substituted 5 with R_{32} or OR_{33} ;

wherein

 R_{32} is hydrogen or C_1 - C_6 alkxl; and

 $\ensuremath{R_{33}}$ is hydrogen or an acid labile hydroxy protecting group.

10 Sp. The compound of claim 15 wherein R_6 is H.

The compound of claim 15 wherein R_1 , R_2 , R_7 , and R_8 are methyl.

18. A compound having the formula:

Sub /

Sub Alb Consi

wherein:

 R_1 , R_2 , R_7 , and R_8 are independently hydrogen or $C_1\text{-}C_{10}$ 5 alkyl;

 R_3 , R_6 , and R_{16} are independently hydrogen or C_1 - C_6 alkyl;

 R_4 , R_9 , and R_{33} are independently hydrogen or acid labile protecting groups;

 R_4 , R_9 , are independently hydrogen or acid labile 10 protecting hydroxl groups;

 R_{25} is hydrogen or an oxidat vely labile protecting group;

 R_{40} is selected from OR_{25} and $OQ(=O)NH_2$;

R' is methyl or alkyl-R"; and

15 R" is C_1-C_{10} alkoxy, hydroxy, or -c(0) CH₃.

The compound of claim 18 wherein R_6 is hydrogen.

The compound of claim 18 wherein R_1 , R_2 , R_7 , and R_8 are methyl.

 UPN-3827

- 224 -

PATENT

The compound of claim 20 wherein R_4 , R_{9} , and R_{33} are H.

The compound of claim 18 wherein R_1 , R_2 , R_7 , and R_8 are methyl; R_4 , R_6 , R_9 , and R_{33} are H; and R_{40} is -OC(O)NH₂.

all first fi